


0.6.53.			
APPROVED	ВУ	CRAF IS:33	

FIG. 1












FIG. 3









FIG. 5




APPROVED |

APPROVED 0.6. FIG.

BY CLISS 1 SIICLASS
TARE ISSAN

FIG. 6



81689/

0.6. Г16.	CL. 35 SUBCLASS		
ATPROVED	7.9	EAF ISTAN	TO THE RESERVE OF THE PARTY OF

FIG. 7







FIG. 8

0.6.15.

APPROVED







FIG. 9



AMPLITUDE OF PICTURE SIGNAL VOLTAGE A: WITHOUT AUXILIARY SIGNAL B: WITH AUXIARY SIGNAL






FIG. 11



0.6.7.3.

EQUIVALENT CIRCUIT OF PICTURE ELEMENT









FIG. 12







FIG. 14



APPROVED 0.6.713.

BY 01/55 - 3 201/48S





FIG. 15



APPROVED 0.6.113.

BY CLASS SUBCLASS

● 18/18991 8/689/

FIG. 16





FIG.	SUBCLASS		
0.6.55	CL,155	-	
APPROVED	ВҮ.	TANKS INC.	-

FIG. 17



APPROVED 0.6.115.

DY ' CLASS | SUSCLASS | 324 (SUCLASS | SUSCLASS | SUSCLASS

FIG. 18




FIG. 19





FIG. 20

L YOUR





0.6. F.5.

3		3
53		
50	\prod	
51		
2		
17		
2		




FIG. 22








FIG. 23






0.6.73.	CL,5S SUBCLASS
APPROVED.	BY .


FIG. 24



0.6.143.	CLASS COOLASS	
AFPROVED (, A	WEST TANK

FIG. 25










FIG. 27





~16b 18b 101b Vd(z j) F1G. 28 17a 18a / Vd(2j-1) O Vg(i-1) O∙